

国際頭痛分類 ICHD-3 改訂のポイント

診断名変更部位

日本頭痛学会国際頭痛分類委員会

Web版

Table of Contents (目次)

ICHD-3β



ICHD-3

Part one: the primary headaches

1. Migraine
2. Tension-type headache
3. Trigeminal autonomic cephalalgias
4. Other primary headache disorders

Part two: the secondary headaches

Introduction

5. Headache attributed to trauma or injury to the head and/or neck
6. Headache attributed to cranial or cervical vascular disorder
7. Headache attributed to non-vascular intracranial disorder
8. Headache attributed to a substance or its withdrawal
9. Headache attributed to infection
10. Headache attributed to disorder of homoeostasis
11. Headache or facial pain attributed to disorder of the cranium, neck, eyes, ears, nose, sinuses, teeth, mouth or other facial or cervical structure
12. Headache attributed to psychiatric disorder

Part three: painful cranial neuropathies, other facial pains and other headaches

13. Painful cranial neuropathies and other facial pains
14. Other headache disorders

Appendix

Part One: The Primary Headaches

1. Migraine
2. Tension-type headache
3. Trigeminal autonomic cephalalgias
4. Other primary headache disorders

Part Two: The Secondary Headaches

Introduction

5. Headache attributed to trauma or injury to the head and/or neck
6. Headache attributed to cranial and/or cervical vascular disorder
7. Headache attributed to non-vascular intracranial disorder
8. Headache attributed to a substance or its withdrawal
9. Headache attributed to infection
10. Headache attributed to disorder of homoeostasis
11. Headache or facial pain attributed to disorder of the cranium, neck, eyes, ears, nose, sinuses, teeth, mouth or other facial or cervical structure
12. Headache attributed to psychiatric disorder

Part Three: Painful Cranial Neuropathies, Other Facial Pain and Other Headaches

13. Painful lesions of the cranial nerves and other facial pain
14. Other headache disorders

Appendix

ICHD-3 β



ICHD-3

6. Headache attributed to cranial or cervical vascular disorder

6. Headache attributed to cranial **and/or** cervical vascular disorder

ICHD-3β



ICHD-3

6.1 Headache attributed to ischaemic stroke or transient ischaemic attack

6.1.1 Headache attributed to ischaemic stroke (cerebral infarction)

6.1.2 Headache attributed to transient ischaemic attack (TIA)

6.1 Headache attributed to cerebral ischaemic event

6.1.1 Headache attributed to ischaemic stroke (cerebral infarction)

6.1.1.1 Acute headache attributed to ischaemic stroke (cerebral infarction)

6.1.1.2 Persistent headache attributed to past ischaemic stroke (cerebral infarction)

6.1.2 Headache attributed to transient ischaemic attack (TIA)

- ✓ 6.1.1 虚血性脳卒中(脳梗塞)による頭痛が、3ヶ月以内に寛解する6.1.1.1 虚血性脳卒中(脳梗塞)による急性頭痛と3ヶ月以上持続する6.1.1.2 虚血性脳卒中(脳梗塞)による持続性頭痛に変更

6.2 Headache attributed to non-traumatic intracranial haemorrhage

ICHD-3β



ICHD-3

- 6.2.1 Headache attributed to non-traumatic intracerebral haemorrhage
- 6.2.2 Headache attributed to non-traumatic subarachnoid haemorrhage (SAH)
- 6.2.3 Headache attributed to non-traumatic acute subdural haemorrhage (ASDH)

- ✓ 6.2.1 非外傷性脳内出血による頭痛、
6.2.2 非外傷性くも膜下出血による頭痛、
6.2.3 非外傷性急性硬膜下血腫による頭痛は、それぞれ3ヶ月以内に寛解する
6.2.1 非外傷性脳内出血による急性頭痛、
6.2.2 非外傷性くも膜下出血による急性頭痛、6.2.3 非外傷性急性硬膜下血腫による急性頭痛に変更

- ✓ 血腫が安定して3ヶ月を経ても持続する6.2.4 過去の非外傷性脳内出血による持続性頭痛が新たに設けられ、さらに6.2.4.1 過去の非外傷性脳内出血による持続性頭痛、6.2.4.2 過去の非外傷性くも膜下出血による持続性頭痛、6.2.4.3 過去の非外傷性急性硬膜下血腫による持続性頭痛が下位項目に新設

- 6.2.1 Acute headache attributed to non-traumatic intracerebral haemorrhage
- 6.2.2 Acute headache attributed to non-traumatic subarachnoid haemorrhage (SAH)
- 6.2.3 Acute headache attributed to non-traumatic acute subdural haemorrhage (ASDH)

6.2.4 Persistent headache attributed to past non-traumatic intracranial haemorrhage

- 6.2.4.1 Persistent headache attributed to past non-traumatic intracerebral haemorrhage
- 6.2.4.2 Persistent headache attributed to past non-traumatic subarachnoid haemorrhage
- 6.2.4.3 Persistent headache attributed to past non-traumatic acute subdural haemorrhage

6.5 Headache attributed to cervical carotid or vertebral artery disorder

ICHD-3β



ICHD-3

6.5.1 Headache or facial or neck pain attributed to cervical carotid or vertebral artery dissection

6.5.2 Post-endarterectomy headache

6.5.3 Headache attributed to carotid or vertebral angioplasty

6.5.1 Headache or facial or neck pain attributed to cervical carotid or vertebral artery dissection

6.5.1.1 Acute headache or facial or neck pain attributed to cervical carotid or vertebral artery dissection

6.5.1.2 Persistent headache or facial or neck pain attributed to past cervical carotid or vertebral artery dissection

6.5.2 Post-endarterectomy headache

6.5.3 Headache attributed to carotid or vertebral angioplasty or stenting

- ✓ 6.5.1 頸部頸動脈または椎骨動脈の解離による頭痛、顔面痛または頸部痛も同様に3ヶ月以内に寛解する6.5.1.1 急性頭痛と3ヶ月以上持続する6.5.1.2 持続性頭痛に変更

6.6 Headache attributed to cranial venous disorder

ICHD-3 β



ICHD-3

6.6 Headache attributed to cerebral venous thrombosis (CVT)

6.6 Headache attributed to cranial venous disorder

6.6.1 Headache attributed to cerebral venous thrombosis (CVT)

6.6.2 Headache attributed to cranial venous sinus stenting

- ✓ 6.6 脳静脈血栓症による頭痛は従来のものが6.6.1 脳静脈血栓症による頭痛になり、6.6.2 頭蓋内脳静脈洞のステント留置による頭痛が追加

6.7 Headache attributed to other acute intracranial arterial disorder

ICHD-3β



ICHD-3

- 6.7.1 Headache attributed to an intracranial endovascular procedure
- 6.7.2 Angiography headache
- 6.7.3 Headache attributed to reversible cerebral vasoconstriction syndrome (RCVS)
 - 6.7.3.1 Headache probably attributed to reversible cerebral vasoconstriction syndrome (RCVS)
- 6.7.4 Headache attributed to intracranial arterial dissection

- 6.7.1 Headache attributed to an intracranial endarterial procedure
- 6.7.2 Angiography headache
- 6.7.3 Headache attributed to reversible cerebral vasoconstriction syndrome (RCVS)
 - 6.7.3.1 Acute headache attributed to reversible cerebral vasoconstriction syndrome (RCVS)
 - 6.7.3.2 Acute headache probably attributed to reversible cerebral vasoconstriction syndrome (RCVS)
 - 6.7.3.3 Persistent headache attributed to past reversible cerebral vasoconstriction syndrome (RCVS)
- 6.7.4 Headache attributed to intracranial artery dissection

- ✓ 6.7.3 RCVSによる頭痛は下位項目の分類が変更
- ✓ 6.7.3.1 RCVSによる急性頭痛
- ✓ 6.7.3.2 RCVSによる急性頭痛の疑い(血管攣縮が画像上証明されていない)
- ✓ 6.7.3.3 RCVSによる持続性頭痛(RCVS発症後3ヶ月以上頭痛が持続)に再分類

6.6 Headache attributed to cranial venous disorder

ICHD-3 β



ICHD-3

6.6 Headache attributed to cerebral venous thrombosis (CVT)

6.6 Headache attributed to cranial venous disorder

6.6.1 Headache attributed to cerebral venous thrombosis (CVT)

6.6.2 Headache attributed to cranial venous sinus stenting

- ✓ 6.6 脳静脈血栓症による頭痛は従来のものが6.6.1 脳静脈血栓症による頭痛になり、6.6.2 頭蓋内脳静脈洞のステント留置による頭痛が追加

6.7 Headache attributed to other acute intracranial arterial disorder

ICHD-3β



ICHD-3

6.7.1 Headache attributed to an intracranial endovascular procedure

6.7.2 Angiography headache

6.7.3 Headache attributed to reversible cerebral vasoconstriction syndrome (RCVS)

6.7.3.1 Headache probably attributed to reversible cerebral vasoconstriction syndrome (RCVS)

6.7.4 Headache attributed to intracranial arterial dissection

6.7.1 Headache attributed to an intracranial endarterial procedure

6.7.2 Angiography headache

6.7.3 Headache attributed to reversible cerebral vasoconstriction syndrome (RCVS)

6.7.3.1 Acute headache attributed to reversible cerebral vasoconstriction syndrome (RCVS)

6.7.3.2 Acute headache probably attributed to reversible cerebral vasoconstriction syndrome (RCVS)

6.7.3.3 Persistent headache attributed to past reversible cerebral vasoconstriction syndrome (RCVS)

6.7.4 Headache attributed to intracranial artery dissection

- ✓ 6.7.3 RCVSによる頭痛は下位項目の分類が変更
- ✓ 6.7.3.1 RCVSによる急性頭痛
- ✓ 6.7.3.2 RCVSによる急性頭痛の疑い(血管攣縮が画像上証明されていない)
- ✓ 6.7.3.3 RCVSによる持続性頭痛(RCVS発症後3ヶ月以上頭痛が持続)に再分類

6.8 Headache and/or migraine-like aura attributed to chronic intracranial vasculopathy

ICHD-3β



ICHD-3

6.8 Headache attributed to genetic vasculopathy

6.8.1 Cerebral Autosomal Dominant Arteriopathy with Subcortical Infarcts and Leukoencephalopathy (CADASIL)

6.8.2 Mitochondrial Encephalopathy, Lactic Acidosis and Stroke-like episodes (MELAS)

6.8.3 Headache attributed to another genetic vasculopathy

- ✓ ICHD-3βで6.8「遺伝性血管異常症による頭痛」はCADASILによる頭痛、MELASによる頭痛、その他の遺伝性血管異常症による頭痛のみ
- ✓ ICHD-3から6.8 Headache and/or migraine-like aura attributed to chronic intracranial vasculopathyに変更
- ✓ 6.8.3 もやもや病による頭痛、6.8.4 脳アミロイドアンギオパチーによる頭痛、6.8.5 RVCLSMによる頭痛が追加

6.8 Headache and/or migraine-like aura attributed to chronic intracranial vasculopathy

6.8.1 Headache attributed to Cerebral Autosomal Dominant Arteriopathy with Subcortical Infarcts and Leukoencephalopathy (CADASIL)

6.8.2 Headache attributed to mitochondrial encephalopathy, lactic acidosis and stroke-like episodes (MELAS)

6.8.3 Headache attributed to Moyamoya angiopathy (MMA)

6.8.4 Migraine-like aura attributed to cerebral amyloid angiopathy (CAA)

6.8.5 Headache attributed to syndrome of retinal vasculopathy with cerebral leukoencephalopathy and systemic manifestations (RVCLSM)

6.8.6 Headache attributed to other chronic intracranial vasculopathy

7. Headache attributed to non-vascular intracranial disorder

ICHD-3 β



ICHD-3

7.1 Headache attributed to increased cerebrospinal fluid pressure

7.1.1 Headache attributed to idiopathic intracranial hypertension (IIH)

7.1.2 Headache attributed to intracranial hypertension secondary to metabolic, toxic or hormonal causes

7.1.3 Headache attributed to intracranial hypertension secondary to hydrocephalus

7.6 Headache attributed to epileptic seizure

7.6.1 Hemicrania epileptica

7.6.2 Post-ictal headache

7.1 Headache attributed to increased cerebrospinal fluid (CSF) pressure

7.1.1 Headache attributed to idiopathic intracranial hypertension (IIH)

7.1.2 Headache attributed to intracranial hypertension secondary to metabolic, toxic or hormonal cause

7.1.3 Headache attributed to intracranial hypertension secondary to chromosomal disorder

7.1.4 Headache attributed to intracranial hypertension secondary to hydrocephalus

7.6 Headache attributed to epileptic seizure

7.6.1 Ictal epileptic headache

7.6.2 Post-ictal headache

8.1 Headache attributed to use of or exposure to a substance

ICHD-3 β



ICHD-3

- 8.1.1 Nitric oxide (NO) donor-induced headache
 - 8.1.1.1 Immediate NO donor-induced headache
 - 8.1.1.2 Delayed NO donor-induced headache
- 8.1.2 Phosphodiesterase (PDE) inhibitor-induced headache
- 8.1.3 Carbon monoxide (CO)-induced headache
- 8.1.4 Alcohol-induced headache
 - 8.1.4.1 Immediate alcohol-induced headache
 - 8.1.4.2 Delayed alcohol-induced headache
- 8.1.5 Headache induced by food and/or additive
 - 8.1.5.1 Monosodium glutamate (MSG)-induced headache
- 8.1.6 Cocaine-induced headache
- 8.1.7 Histamine-induced headache
 - 8.1.7.1 Immediate histamine-induced headache
 - 8.1.7.2 Delayed histamine-induced headache
- 8.1.8 Calcitonin gene-related peptide (CGRP)-induced headache
 - 8.1.8.1 Immediate CGRP-induced headache
 - 8.1.8.2 Delayed CGRP-induced headache
- 8.1.9 Headache attributed to exogenous acute pressor agent
- 8.1.10 Headache attributed to occasional use of non-headache medication
- 8.1.11 Headache attributed to long-term use of non-headache medication
- 8.1.12 Headache attributed to exogenous hormone
- 8.1.13 Headache attributed to use of or exposure to other substance

- 8.1.1 Nitric oxide (NO) donor-induced headache
 - 8.1.1.1 Immediate NO donor-induced headache
 - 8.1.1.2 Delayed NO donor-induced headache
- 8.1.2 Phosphodiesterase (PDE) inhibitor-induced headache
- 8.1.3 Carbon monoxide (CO)-induced headache
- 8.1.4 Alcohol-induced headache
 - 8.1.4.1 Immediate alcohol-induced headache
 - 8.1.4.2 Delayed alcohol-induced headache
- 8.1.5 Cocaine-induced headache
- 8.1.6 Histamine-induced headache
 - 8.1.7.1 Immediate histamine-induced headache
 - 8.1.7.2 Delayed histamine-induced headache
- 8.1.7 Calcitonin gene-related peptide (CGRP)-induced headache
 - 8.1.7.1 Immediate CGRP-induced headache
 - 8.1.7.2 Delayed CGRP-induced headache
- 8.1.8 Headache attributed to exogenous acute pressor agent
- 8.1.9 Headache attributed to occasional use of non-headache medication
- 8.1.10 Headache attributed to long-term use of non-headache medication
- 8.1.11 Headache attributed to use of or exposure to other substance

8.2 Medication-overuse headache (MOH)

ICHD-3β



ICHD-3

- 8.2.1 Ergotamine-overuse headache
- 8.2.2 Triptan-overuse headache
- 8.2.3 Simple analgesic-overuse headache
- 8.2.3.1 Paracetamol (acetaminophen)-overuse headache
- 8.2.3.2 Acetylsalicylic acid-overuse headache
- 8.2.3.3 Other non-steroidal anti-inflammatory drug (NSAID)-overuse headache
- 8.2.4 Opioid-overuse headache
- 8.2.5 Combination-analgesic-overuse headache
- 8.2.6 Medication-overuse headache attributed to multiple drug classes not individually overused
- 8.2.7 Medication-overuse headache attributed to unverified overuse of multiple drug classes
- 8.2.8 Medication-overuse headache attributed to other medication

- 8.2.1 Ergotamine-overuse headache
- 8.2.2 Triptan-overuse headache
- 8.2.3 Non-opioid analgesic-overuse headache
- 8.2.3.1 Paracetamol (acetaminophen)-overuse headache
- 8.2.3.2 Non-steroidal anti-inflammatory drug (NSAID)-overuse headache
- 8.2.3.2.1 Acetylsalicylic acid-overuse headache
- 8.2.3.3 Other non-opioid analgesic-overuse headache
- 8.2.4 Opioid-overuse headache
- 8.2.5 Combination-analgesic-overuse headache
- 8.2.6 Medication-overuse headache attributed to multiple drug classes not individually overused
- 8.2.7 Medication-overuse headache attributed to unspecified or unverified overuse of multiple drug classes
- 8.2.8 Medication-overuse headache attributed to other medication

- ✓ ICHD-3βで 8.2.3単純鎮痛薬乱用頭痛の名称が変更
- ✓ ICHD-3 8.2.3.2 NSAID-overuse headacheのsubformの下に8.2.3.2.1アセチルサリチル酸乱用頭痛が移動
- ✓ 8.2.3.3 Other non-opioid analgesic-overuse headacheがsubformに追加

11.3 Headache attributed to disorder of the eyes

ICHD-3β



ICHD-3

11.3.1 Headache attributed to acute glaucoma

11.3.2 Headache attributed to refractive error

11.3.3 Headache attributed to heterophoria or heterotropia (latent or persistent squint)

11.3.4 Headache attributed to ocular inflammatory disorder

11.3.5 Headache attributed to trochleitis

11.3.1 Headache attributed to acute angle-closure glaucoma

11.3.2 Headache attributed to refractive error

11.3.3 Headache attributed to ocular inflammatory disorder

11.3.4 Trochlear headache

- ✓ ICHD-3βでは11.3.1 Headache attributed to acute glaucomaであったがICHD-3ではangle-closureが追加
- ✓ ICHD-3βの11.3.3 Headache attributed to heterophoria or heterotropia (latent or persistent squint)はICHD-3では本編から削除され付録A11.3.5 Headache attributed to heterophoria or heterotropiaに移動(潜伏性または顕在性斜視は削除)
- ✓ これに伴いICHD-3本編11.3.4および11.3.5のコード番号が変更
- ✓ 11.3.4 Trochlear headacheはICHD-3βではHeadache attributed to trochleitis

ICHD-3 β



ICHD-3

13. Painful cranial neuropathies and other facial pains

13.1 Trigeminal neuralgia

13.2 Glossopharyngeal neuralgia

13.3 Nervus intermedius (facial nerve) neuralgia

13.4 Occipital neuralgia

13.5 Optic neuritis

13.6 Headache attributed to ischaemic ocular motor nerve palsy

13.7 Tolosa-Hunt syndrome

13.8 Paratrigeminal oculosympathetic (Raeder's) syndrome

13.9 Recurrent painful ophthalmoplegic neuropathy

13.10 Burning mouth syndrome (BMS)

13.11 Persistent idiopathic facial pain (PIFP)

13.12 Central neuropathic pain

13. Painful lesions of the cranial nerves and other facial pain

13.1 Pain attributed to a lesion or disease of the trigeminal nerve

13.2 Pain attributed to a lesion or disease of the glossopharyngeal nerve

13.3 Pain attributed to a lesion or disease of nervus intermedius

13.4 Occipital neuralgia

13.5 Neck-tongue syndrome

13.6 Painful optic neuritis

13.7 Headache attributed to ischaemic ocular motor nerve palsy

13.8 Tolosa–Hunt syndrome

13.9 Paratrigeminal oculosympathetic (Raeder's) syndrome

13.10 Recurrent painful ophthalmoplegic neuropathy

13.11 Burning mouth syndrome (BMS)

13.12 Persistent idiopathic facial pain (PIFP)

13.13 Central neuropathic pain

13.1 Pain attributed to a lesion or disease of the trigeminal nerve

ICHD-3 β



ICHD-3

- 13.1 Trigeminal neuralgia
 - 13.1.1 Classical trigeminal neuralgia
 - 13.1.1.1 Classical trigeminal neuralgia, purely paroxysmal
 - 13.1.1.2 Classical trigeminal neuralgia with concomitant persistent facial pain
 - 13.1.2 Painful trigeminal neuropathy
 - 13.1.2.1 Painful trigeminal neuropathy attributed to acute Herpes zoster
 - 13.1.2.2 Post-herpetic trigeminal neuropathy
 - 13.1.2.3 Painful post-traumatic trigeminal neuropathy
 - 13.1.2.4 Painful trigeminal neuropathy attributed to multiple sclerosis (MS) plaque
 - 13.1.2.5 Painful trigeminal neuropathy attributed to space-occupying lesion
 - 13.1.2.6 Painful trigeminal neuropathy attributed to other disorder

- 13.1 Pain attributed to a lesion or disease of the trigeminal nerve
 - 13.1.1 Trigeminal neuralgia
 - 13.1.1.1 Classical trigeminal neuralgia
 - 13.1.1.1.1 Classical trigeminal neuralgia, purely paroxysmal
 - 13.1.1.1.2 Classical trigeminal neuralgia with concomitant continuous pain
 - 13.1.1.2 Secondary trigeminal neuralgia
 - 13.1.1.2.1 Trigeminal neuralgia attributed to multiple sclerosis
 - 13.1.1.2.2 Trigeminal neuralgia attributed to space occupying lesion
 - 13.1.1.2.3 Trigeminal neuralgia attributed to other cause
 - 13.1.1.3 Idiopathic trigeminal neuralgia
 - 13.1.1.3.1 Idiopathic trigeminal neuralgia, purely paroxysmal
 - 13.1.1.3.2 Idiopathic trigeminal neuralgia with concomitant continuous pain
 - 13.1.2 Painful trigeminal neuropathy
 - 13.1.2.1 Painful trigeminal neuropathy attributed to herpes zoster
 - 13.1.2.2 Trigeminal post-herpetic neuralgia
 - 13.1.2.3 Painful post-traumatic trigeminal neuropathy
 - 13.1.2.4 Painful trigeminal neuropathy attributed to other disorder
 - 13.1.2.5 Idiopathic painful trigeminal neuropathy

ICHD-3 β



ICHD-3

- 13.2 Glossopharyngeal neuralgia
- 13.3 Nervus intermedius (facial nerve) neuralgia
 - 13.3.1 Classical nervus intermedius neuralgia
 - 13.3.2 Nervus intermedius neuropathy attributed to Herpes zoster

- 13.2 Pain attributed to a lesion or disease of the glossopharyngeal nerve
 - 13.2.1 Glossopharyngeal neuralgia
 - 13.2.1.1 Classical glossopharyngeal neuralgia
 - 13.2.1.2 Secondary glossopharyngeal neuralgia
 - 13.2.1.3 Idiopathic glossopharyngeal neuralgia
 - 13.2.2 Painful glossopharyngeal neuropathy
 - 13.2.2.1 Painful glossopharyngeal neuropathy attributed to a known cause
 - 13.2.2.2 Idiopathic painful glossopharyngeal neuropathy
- 13.3 Pain attributed to a lesion or disease of nervus intermedius
 - 13.3.1 Nervus intermedius neuralgia
 - 13.3.1.1 Classical nervus intermedius neuralgia
 - 13.3.1.2 Secondary nervus intermedius neuralgia
 - 13.3.1.3 Idiopathic nervus intermedius neuralgia
 - 13.3.2 Painful nervus intermedius neuropathy
 - 13.3.2.1 Painful nervus intermedius neuropathy attributed to herpes zoster
 - 13.3.2.2 Post-herpetic neuralgia of nervus intermedius
 - 13.3.2.3 Painful nervus intermedius neuropathy attributed to other disorder
 - 13.3.2.4 Idiopathic painful nervus intermedius neuropathy

ICHD-3β



ICHD-3

- 13.4 Occipital neuralgia
- 13.5 Optic neuritis
- 13.6 Headache attributed to ischaemic ocular motor nerve palsy
- 13.7 Tolosa-Hunt syndrome
- 13.8 Paratrigeminal oculosympathetic (Raeder's) syndrome
- 13.9 Recurrent painful ophthalmoplegic neuropathy
- 13.10 Burning mouth syndrome (BMS)
- 13.11 Persistent idiopathic facial pain (PIFP)
- 13.12 Central neuropathic pain
 - 13.12.1 Central neuropathic pain attributed to multiple sclerosis (MS)
 - 13.12.2 Central post-stroke pain (CPSP)

- 13.4 Occipital neuralgia
- 13.5 Neck-tongue syndrome
- 13.6 Painful optic neuritis
- 13.7 Headache attributed to ischaemic ocular motor nerve palsy
- 13.8 Tolosa–Hunt syndrome
- 13.9 Paratrigeminal oculosympathetic (Raeder's) syndrome
- 13.10 Recurrent painful ophthalmoplegic neuropathy
- 13.11 Burning mouth syndrome (BMS)
- 13.12 Persistent idiopathic facial pain (PIFP)
- 13.13 Central neuropathic pain
 - 13.13.1 Central neuropathic pain attributed to multiple sclerosis (MS)
 - 13.13.2 Central post-stroke pain (CPSP)

Appendix

ICHD-3β



ICHD-3

A1. Migraine

A1.1 Migraine without aura

A1.1.1 Pure menstrual migraine without aura

A1.1.2 Menstrually related migraine without aura

A1.1.3 Non-menstrual migraine without aura

A1.2 Migraine with aura (alternative criteria)

A1.2.1 Migraine with typical aura (alternative criteria)

A1.3 Chronic migraine (alternative criteria)

A1.3.1 Chronic migraine with pain-free periods

A1.3.2 Chronic migraine with continuous pain

A1.4 Complications of migraine

A1.4.5 Migraine aura status

A1.6 Episodic syndromes that may be associated with migraine

A1.6.4 Infantile colic

A1.6.5 Alternating hemiplegia of childhood

A1.6.6 Vestibular migraine

A1. Migraine

A1.1 Migraine without aura

A1.1.1 Pure menstrual migraine without aura

A1.1.2 Menstrually related migraine without aura

A1.1.3 Non-menstrual migraine without aura

A1.2 Migraine with aura

A1.2.0.1 Pure menstrual migraine with aura

A1.2.0.2 Menstrually related migraine with aura

A1.2.0.3 Non-menstrual migraine with aura

A1.3 Chronic migraine (alternative criteria)

A1.3.1 Chronic migraine with pain-free periods

A1.3.2 Chronic migraine with continuous pain

A1.4 Complications of migraine

A1.4.5 Migraine aura status

A1.4.6 Visual snow

A1.6 Episodic syndromes that may be associated with migraine

A1.6.4 Infantile colic

A1.6.5 Alternating hemiplegia of childhood

A1.6.6 Vestibular migraine

Appendix

ICHD-3 β



ICHD-3

- A2. Tension-type headache (alternative criteria)
- A3. Trigeminal-autonomic cephalalgias (TACs)
- A3.6 Undifferentiated trigeminal autonomic cephalalgia

- A6. Headache attributed to cranial or cervical vascular disorder
- A6.10 Persistent headache attributed to past cranial or cervical vascular disorder

- A11. Headache or facial pain attributed to disorder of the cranium, neck, eyes, ears, nose, sinuses, teeth, mouth or other facial or cervical structure

- A12. Headache attributed to psychiatric disorder
- A12.9 Headache attributed to post-traumatic stress disorder

- A2. Tension-type headache (alternative criteria)
- A2.1 Infrequent episodic tension-type headache (alternative criteria)
- A2.2 Frequent episodic tension-type headache (alternative criteria)
- A2.3 Chronic tension-type headache (alternative criteria)
- A3. Trigeminal-autonomic cephalalgias (TACs)
- A3.1 Cluster headache (alternative criteria)
- A3.2 Paroxysmal hemicrania (alternative criteria)
- A3.3 Short-lasting unilateral neuralgiform headache attacks (alternative criteria)
- A3.4 Hemicrania continua (alternative criteria)
- A3.6 Undifferentiated trigeminal autonomic cephalalgia

- A6. Headache attributed to cranial **and/or** cervical vascular disorder
- A6.10 Persistent headache attributed to past cranial **and/or** cervical vascular disorder

- A11. Headache or facial pain attributed to disorder of the cranium, neck, eyes, ears, nose, sinuses, teeth, mouth or other facial or cervical structure
- A11.3 Headache attributed to disorder of the eyes

- A12. Headache attributed to psychiatric disorder
- A12.9 Headache attributed to post-traumatic stress disorder (**PTSD**)